




THE INFORMATION CONTAINED HEREIN IS CONFIDENTIAL AND THE PROPERTY OF SOLBERG MANUFACTURING INC. AND IT IS FURNISHED TO YOU WITH THE EXPRESS UNDERSTANDING THAT IT WILL NOT BE REPRODUCED, COPIED IN ANY MANNER, LOANED OR OTHERWISE TRANSFERRED TO OTHERS ENTIRELY OR IN PART, NOR USED FOR ANY PURPOSE OTHER THAN FOR WHICH IT WAS FURNISHED. IT WILL BE RETURNED UPON REQUEST TO SOLBERG MANUFACTURING INC. THE ABOVE RESTRICTION IS IN ADDITION TO, AND DOES NOT IN ANY WAY ALTER, ANY OTHER RESTRICTIONS WHICH MAY APPLY TO THE INFORMATION CONTAINED HEREIN.

TOLERANCES

DIMENSIONS ARE FOR REFERENCE ONLY. ALL DIMENSIONS ARE SUBJECT TO CHANGE UPON PRODUCTION.

UNLESS OTHERWISE SPECIFIED: -DIMENSIONS ARE IN INCHES -REF: APPROXIMATE DIMENSIONS, NO TOLERANCES APPLY -FINISH: BREAK EDGES TO .005-.020 RADIUS/CHAMFER

REV	DESCRIPTION	ECN #	CHG BY	DATE	APP'D
А	UPDATED ELEMENT TABLE	WEB	NAD	10/02/19	TAS



			ELEMENT SPECS							
			PART NUMBER	235P						
			MATERIAL POLYESTER							
		FLOW RATE	570 CFM		968 m³/hr					
		SURFACE AREA	9.4 ft ²		0.9 m ²					
		I.D. 4.69" 1				119	.9mm			
		0.D.	7.88"		200mm					
			HEIGHT	9.56" 24			3mm			
	MODEL #: CT-235P-301C	MATERIAL: C	ARBON STEEL/CAST ALUMIN	NUM FINISH: BLACK POWDER/NON			NONE			
	MODEL NUMBER: CT-235P-301C							SHEET: 1 OF 2		
	DESCRIPTION: CT-235P-301C, BLACK									
PLY					APPROVED BY: CRW DATE: 7/21/2015			REV:		
								А		